


Marine & Offshore Insulation



Product Catalogue
February 2010

MARINE & OFFSHORE CONSTRUCTIONS

A constructions

Bulkhead

Construction		Product	Density kg/m ³	Thickness level/stiffener, mm
A-30	steel	Marine Batts 45	45	50/25
A-30	steel	Marine Wired Mat 90	90	50/30
A-60	steel	Marine Firebatts 100	100	60/25
A-60	steel	Marine Firebatts 130	130	2x30/30
A-60	steel	Marine Wired Mat 90	90	2x45/45
A-60	steel	Marine Wired Mat 105	105	75/30
A-60 restricted	steel	Marine Firebatts 100	100	40/40
A-60 restricted	steel	Marine Firebatts 130	130	50/50
A-60	alu	Marine Firebatts 130	130	2x30/2x30*
A-60	alu	Marine Firebatts 100	100	2x30/2x30*
A-60 restricted	alu	Marine Firebatts 130	130	2x30/2x30

* Insulation thickness both sides of the alu plate

Deck

Construction		Product	Density kg/m ³	Thickness level/stiffener, mm
A-30	steel	Marine Batts 45	45	50/30
A-30	steel	Marine Wired Mat 90	90	30/30
A-60	steel	Marine Firebatts 100	100	40/25
A-60	steel	Marine Firebatts 130	130	40/40
A-60	steel	Marine Wired Mat 90	90	45/45
A-30	alu	Marine Batts 45/Marine Wired Mat 90	45/90	50/45
A-60	alu	Marine Firebatts 130	130	2x30/2x30
A-60	alu	Marine Firebatts 100	100	2x30/2x30
A-60 Floating Floor	steel	Marine Slab 140 (+1.5 + 3mm steel top plates)	140	60
A-60 Floating Floor	steel	Marine Slab 200 (+2mm steel top plate)	200	2x30

H constructions

Bulkhead

Construction		Product	Density kg/m ³	Thickness level/stiffener, mm
H-60 restricted	steel	HC Firebatts 150	150	2x50/2x50
H-60 restricted	steel	HC Firebatts 150/HC Wired Mat 150	150	30+40/40
H-120 restricted	steel	HC Firebatts 150/HC Wired Mat 150	150	30+40/2x40
H-60 non load bearing	corr. steel*	HC Firebatts 150/HC Wired Mat 150	150	50+40
H-120 non load bearing	corr. steel*	HC Firebatts 150/HC Wired Mat 150	150	50+40

*Corrugated steel, min 1.5mm thick. No fill of corrugation.

Deck

Construction		Product	Density kg/m ³	Thickness level/stiffener, mm
H-60	steel	HC Firebatts 150	150	2x50/2x50

PRICE LIST MARINE & OFFSHORE INSULATION

VALID AS FROM 1ST FEBRUARY 2010

PRODUCT NAME	PRODUCT CODE	DIMENSIONS			CONTENTS PER		APPROX. CONT.		
		L	W	T	PACK		PER 40' HCC		
		MM	MM	MM	PCS.	M2	PCK./PAL.	M2	
Marine Batts Marine Batts RL									
Marine Batts 32 <i>Approx. density: 32 kg/m3</i>	16100010004	1000	600	50	10	6,00	228	1368	
	16100010008	1000	600	100	5	3,00	228	684	
Marine Batts 32 <i>w. reinf. alu 1 side</i> <i>Approx. density: 32 kg/m3</i>	16102010007	1000	600	50	10	6,00	228	1368	
	16102010026	1000	600	100	5	3,00	228	684	
Marine Batts 32 RL <i>w. reinf. alu 1 side</i> <i>Approx. density: 32 kg/m3</i>	18602010002	4000	1000	50	2	8,00	370	2960	
	18602010003	3000	1000	75	1	3,00	658	1973	
	18602010006	4000	1000	100	1	4,00	370	1480	
Marine Batts 45 <i>Approx. density: 45 kg/m3</i>	16300010005	1000	600	25	20	12,00	228	2736	
	16300010006	1000	600	30	16	9,60	238	2280	
	16300010008	1000	600	50	10	6,00	228	1368	
	16300010010	1000	600	75	6	3,60	253	912	
	16300010012	1000	600	100	5	3,00	228	684	
Marine Batts 45 <i>w. reinf. alu 1 side</i> <i>Approx. density: 45 kg/m3</i>	16302010007	1000	600	25	20	12,00	228	2736	
	16302010013	1000	600	30	16	9,60	238	2280	
	16302010008	1000	600	50	10	6,00	228	1368	
	16302010024	1000	600	75	8	6,00	152	912	
	16302010014	1000	600	100	5	3,00	228	684	
Marine Batts 45 GW 200 -2 <i>(pallets)</i> <i>Approx. density: 45 kg/m3</i>	16303050004	**	1000	600	25	88	52,80	40	2112
	16303050017	**	1000	600	30	72	43,20	40	1728
	16303050005	**	1000	600	50	44	26,40	40	1056
Marine Batts 45 RL <i>w. reinf. alu 1 side</i>	19002010002	*	3000	1000	50	2	6,00	429	2576

* : The prices are based on a minimum quantity of 1500 kg per size per delivery.

** : Other pallets must not be loaded onto these pallets.

GW 200: Batts delivered with white glass fabric in 210 g/m2.

Batts are as standard delivered with an overlap on two sides of approx. 30mm.

Products with glass fabric are delivered from Trondheim, Norway.

We reserve the right to change our prices without prior notice if nothing else has been agreed upon in writing.

PRICE LIST MARINE & OFFSHORE INSULATION

VALID AS FROM 1ST FEBRUARY 2010

PRODUCT NAME	PRODUCT CODE	DIMENSIONS			CONTENTS PER		APPROX. CONT.		
		L	W	T	PACK		PER 40' HCC		
		MM	MM	MM	PCS.	M2	PCK./PAL.	M2	
Marine Slab									
Marine Slab 60	18800010001	*	1000	600	30	12	7,20	317	2280
	18800010002		1000	600	50	8	4,80	285	1368
	18800010007		1000	600	75	6	3,60	253	912
	18800010003	*	1000	600	100	3	1,80	380	684
Approx. density: 60 kg/m3									
Marine Slab 60 Black w. black tissue 1 side	18803010001		1000	600	25	18	10,80	253	2736
Approx. density: 60 kg/m3									
Marine Slab 80	18900010002	*	1000	600	30	10	6,00	380	2280
	18900010003		1000	600	50	6	3,60	380	1368
	18900010020	*	1000	600	75	4	2,40	380	912
	18900010009	*	1000	600	100	3	1,80	380	684
Approx. density: 80 kg/m3									
Marine Slab 80 w. reinf. alu 1 side	18902010002		1000	600	50	6	3,60	380	1368
Approx. density: 80 kg/m3									
Marine Slab 80 Black w. black tissue 1 side	18903010003		1000	600	50	5	3,00	456	1368
Approx. density: 80 kg/m3									
Marine Slab 140 (For floating floor insulation only)	16400010001		1000	600	30	6	3,60	633	2280
	16400010002		1000	600	40	5	3,00	570	1710
	16400010003		1000	600	50	4	2,40	570	1368
	16400010006		1000	600	60	3	1,80	633	1140
Approx. density: 140 kg/m3									
Marine Slab 150	16500010003		1000	600	50	4	2,40	570	1368
	16500010017	*	1000	600	60	2	1,44	792	1140
	16500010018	*	1000	600	75	2	1,44	633	912
	16500010008		1000	600	100	2	1,20	570	684
Approx. density: 150 kg/m3									
Marine Slab 200	16700010001		1000	600	30	4	2,40	950	2280
	16700010002		1000	600	50	3	1,80	760	1368
	16700010011		1000	600	60	2	1,20	950	1140
	16700010003	*	1000	600	100	2	1,20	570	684
Approx. density: 200 kg/m3									

* : The prices are based on a minimum quantity of 1500 kg per size per delivery.

GW 200: Batts delivered with white glass fabric in 210 g/m2.
Batts are as standard delivered with an overlap on two sides of approx. 30mm.
Products with glass fabric are delivered from Trondheim, Norway.

We reserve the right to change our prices without prior notice if nothing else has been agreed upon in writing.

PRICE LIST MARINE & OFFSHORE INSULATION

VALID AS FROM 1ST FEBRUARY 2010

PRODUCT NAME	PRODUCT CODE	DIMENSIONS			CONTENTS PER		APPROX. CONT.		
		L	W	T	PACK		PER 40' HCC		
		MM	MM	MM	PCS.	M2	PCK./PAL.	M2	
Marine Firebatts									
Marine Firebatts 100	85000010001	1000	600	25	10	6,00	456	2736	
	85000010013	1000	600	30	8	6,00	380	2280	
	85000010002	1000	600	40	6	3,60	475	1710	
	Approx. density: 100 kg/m3	96500010001	1000	600	60	4	2,40	475	1140
Marine Firebatts 100 w. reinf. alu 1 side	85002010001	1000	600	25	10	6,00	456	2736	
	85002010008	1000	600	30	8	6,00	380	2280	
	85002010002	1000	600	40	6	3,60	475	1710	
	Approx. density: 100 kg/m3	96502010001	1000	600	60	4	2,40	475	1140
Marine Firebatts 100 GW 200 -2 (pallets)	85003050001	1000	600	25	88	52,8	40	2112	
	85003050002	1000	600	40	56	33,6	40	1344	
	Approx. density: 100 kg/m3	85003050003	1000	600	60	36	21,6	40	864
Marine Firebatts 110 Approx. density: 110 kg/m3	17000010004	1000	600	25	10	6,00	456	2736	
	17000010008	1000	600	50	5	3,00	456	1368	
Marine Firebatts 130 Approx. density: 130 kg/m3	17300010001	1000	600	30	6	3,60	633	2280	
	17300010002	1000	600	40	5	3,00	570	1710	
	17300010016	*	1000	600	45	4	2,40	633	1520
	17300010003	1000	600	50	4	2,40	570	1368	
	17300010017	*	1000	600	65	3	1,80	585	1052
	17300010011	1000	600	100	2	1,20	570	684	
Marine Firebatts 130 w. reinf. alu 1 side Approx. density: 130 kg/m3	17302010001	1000	600	30	6	3,60	633	2280	
	17302010002	1000	600	40	5	3,00	570	1710	
	17302010008	*	1000	600	45	4	2,40	633	1520
	17302010003	1000	600	50	4	2,40	570	1368	
	17302010009	*	1000	600	65	3	1,80	585	1052
Marine Firebatts 130 GW 200 -2 (pallets)	17303050004	1000	600	30	74	44,4	40	1776	
	17303050009	1000	600	40	56	33,6	40	1344	
	17303050007	1000	600	50	44	26,4	40	1056	
Marine Lamella Mat									
Marine Lamella Mat 32 w. reinf. alu 1 side Approx. density: 32 kg/m3	17502010008	10000	1000	20	1	10,00	323	3230	
	17502010005	*	10000	1000	25	1	10,00	258	2584
	17502010007	8000	1000	30	1	8,00	269	2153	

* : The prices are based on a minimum quantity of 1500 kg per size per delivery.

GW 200: Batts delivered with white glass fabric in 210 g/m2.
Batts are as standard delivered with an overlap on two sides of approx. 30mm.
Products with glass fabric are delivered from Trondheim, Norway.

We reserve the right to change our prices without prior notice if nothing else has been agreed upon in writing.

PRICE LIST MARINE & OFFSHORE INSULATION

VALID AS FROM 1ST FEBRUARY 2010

PRODUCT NAME	PRODUCT CODE	DIMENSIONS			CONTENTS PER		APPROX. CONT.		
		L	W	T	PACK		PER 40' HCC		
		MM	MM	MM	PCS.	M2	PCK./PAL.	M2	
Marine Wired Mat									
Marine Wired Mat 80	15504010005	*	5000	1000	40	1	5,00	397	1985
	15504010004		4000	1000	50	1	4,00	455	1820
	15504010002		2500	1000	80	1	2,50	455	1138
Approx. density: 80 kg/m3									
Marine Wired Mat 80 w. reinf. alu 1 side	15504010017	*	4000	1000	50	1	4,00	455	1820
Marine Wired Mat 90	40068504010001		8000	500	30	1	4,00	662	2647
	78504010001		4000	1000	45	1	4,00	506	2022
	40068504010010		5000	500	50	1	2,50	680	1700
Approx. density: 90 kg/m3									
Marine Wired Mat 90 w. reinf. alu 1 side	78504010004		4000	1000	45	1	4,00	506	2022
Marine Wired Mat 90 GW 400 T1	7850401	*	5000	900	30	1	4,50	588	2647
	7850401	*	4000	900	45	1	3,60	490	1764
	7850401	*	5000	900	50	1	4,50	353	1588
Marine Wired Mat 90 GB 200 T1	7850401	*	5000	900	30	1	4,50	588	2647
	7850401	*	4000	900	45	1	3,60	490	1764
	7850401	*	3000	900	50	1	2,70	588	1588
Marine Wired Mat 105	15604010006		7000	1000	30	1	7,00	378	2647
	15604010004		4000	1000	50	1	4,00	455	1820
	15604010034		2500	1000	75	1	2,50	485	1213
	15604010001	*	2000	1000	100	1	2,00	425	850
Approx. density: 105 kg/m3									
Marine Wired Mat 105 w. reinf. alu 1 side	15604010013		7000	1000	30	1	7,00	378	2647
	15604010032		4000	1000	50	1	4,00	455	1820
	15604010018	*	2500	1000	75	1	2,50	485	1213
	15604010031	*	2000	1000	100	1	2,00	425	850
Marine Wired Mat 105 GW 400 T1	15604010015	*	5000	900	30	1	4,50	588	2647
Marine Wired Mat 105 GB 200 T1	15604010016	*	5000	900	30	1	4,50	588	2647

* : The prices are based on a minimum quantity of 1500 kg per size per delivery.

GW 400: Wired Mat delivered with white glass fabric in 440 g/m2.

GB 200: Wired Mat delivered with black glass fabric in 210 g/m2.

Wired Mat are as standard delivered with the glass fabric on top of the wire mesh with an overlap of approx. 100mm on the long.

We reserve the right to change our prices without prior notice if nothing else has been agreed upon in writing.

PRICE LIST MARINE & OFFSHORE INSULATION
VALID AS FROM 1ST FEBRUARY 2010

PRODUCT NAME	PRODUCT CODE	DIMENSIONS			CONTENTS PER		APPROX. CONT.	
		L	W	T	PACK		PER 40' HCC	
		MM	MM	MM	PCS.	M2	PCK/PAL.	M2

Offshore Insulation

HC Firebatts 150	81500010006	1000	600	30	6	1,80	1267	2280
	81500010001	1000	600	50	4	2,40	570	1368
	Approx. density: 150 kg/m3	81500010002	1000	600	65	3	1,80	585
HC Firebatts 150	81502010004	1000	600	30	6	1,80	1267	2280
	81502010001	1000	600	50	4	2,40	570	1368
	w. reinf. alu 1 side	81502010002	1000	600	65	3	1,80	585
Approx. density: 150 kg/m3								
HC Wired Mat 150	55087504010009	4000	500	40	1	1,80	1264	2275
Approx. density: 150 kg/m3								
HC Wired Mat 150	55087504010008	4000	500	40	1	1,80	1264	2275
w. reinf. alu 1 side								
Approx. density: 150 kg/m3								

We reserve the right to change our prices without prior notice if nothing else has been agreed upon in writing.

PRICE LIST MARINE & OFFSHORE INSULATION

VALID AS FROM 1ST FEBRUARY 2010

PRODUCT NAME	PRODUCT CODE	DIMENSIONS			CONTENTS PER		APPROX. CONT.	
		L MM	W MM	T MM	PACK PCS.	M2	PER 40' HCC PCK./PAL.	M2
Accessories								
Mild Steel Pins Ø 3mm								
40mm	650200070016				*	1.000 pcs/pack		EUR/pcs.
45mm	650200070020				*	1.000 pcs/pack		EUR/pcs.
55mm	650200070019				*	1.000 pcs/pack		EUR/pcs.
65mm	650200070008				*	1.000 pcs/pack		EUR/pcs.
75mm	650200070009				*	1.000 pcs/pack		EUR/pcs.
90mm	650200070012				*	1.000 pcs/pack		EUR/pcs.
100mm	650200070014				*	1.000 pcs/pack		EUR/pcs.
115mm	650200070021				*	1.000 pcs/pack		EUR/pcs.
130mm	650200070010				*	1.000 pcs/pack		EUR/pcs.
140mm	650200070013				*	1.000 pcs/pack		EUR/pcs.
165mm	650200070022				*	1.000 pcs/pack		EUR/pcs.
190mm	650200070015				*	1.000 pcs/pack		EUR/pcs.
Washers Ø 38mm	650200070011				*	5.000 pcs/pack		EUR/pcs.
Washers Ø 38mm w. white cap	620700070001				*	2.500 pcs/pack		EUR/pcs.
Stainless Steel Pins Ø 3mm with an aluminium tip								
50mm	620400010007				*	1.000 pcs/pack		EUR/pcs.
65mm	620400010001				*	1.000 pcs/pack		EUR/pcs.
75mm	620400010008				*	1.000 pcs/pack		EUR/pcs.
90mm	620400010005				*	1.000 pcs/pack		EUR/pcs.
140mm	620400010010				*	1.000 pcs/pack		EUR/pcs.
Stainless Steel Washers Ø 38mm	620400010004				*	5.000 pcs/pack		EUR/pcs.
S.S. Washers Ø 38mm w. white cap	620400010006				*	2.500 pcs/pack		EUR/pcs.
Rockwool Knife	606400080001					1 pcs/pack		EUR/pcs.
Rockwool Knife Sheath	606300080001					1 pcs/pack		EUR/pcs.
S 337 Alu tape	617400080001		50mm			50 m/rl		EUR/m
	617400080002		75mm			50 m/rl		EUR/m
Glass fabric, white 210g/m2 Delivery to be agreed upon	620600010003					200 m2/rl		EUR/m2
Glass fabric strip, white 210 g/m2 Delivery to be agreed upon	640400080002		75mm			100 m/rl		EUR/m
Ovalit T, adhesive for glass fabric Delivery to be agreed upon	623000010002				**	18 kg		EUR/kg.
Galv. Wire mesh 1" Delivery to be agreed upon	632100010001					200 m2/rl		EUR/m2
* Dispatch approx. 2 weeks after receipt of the order.								
** Please note that the product must be kept frost-free and lowest working temperature is 10° C.								
We reserve the right to change our prices without prior notice if nothing else has been agreed upon in writing.								

6000: Alu Pipe Sections 864

PRICE LIST - VALID AS FROM 1ST FEBRUARY 2010

Inner diam. =(Pipe diam.) mm inch	20			25			30			40			50			60		
	EUR	Pcs.	T-m3	EUR	Pcs.	T-m3	EUR	Pcs.	T-m3	EUR	Pcs.	T-m3	EUR	Pcs.	T-m3	EUR	Pcs.	T-m3
17 3/8	42	0,172		30	0,172		25	0,172		16	0,172							
21 1/2	36	0,172		25	0,172		20	0,172		13	0,172							
27 3/4	30	0,172		25	0,172		20	0,172		12	0,172		9	0,172				
35 1	25	0,172		20	0,172		15	0,172		9	0,172		7	0,172				
42 1 1/4	20	0,172		16	0,172		12	0,172		9	0,172		6	0,172		4	0,172	
48 1 1/2	16	0,172		15	0,172		12	0,172		9	0,172		6	0,172		4	0,172	
60 2	12	0,172		11	0,172		9	0,172		6	0,172		5	0,172		4	0,172	
76 2 1/2							7	0,172		5	0,172		4	0,172		3	0,131	
89 3							6	0,172		4	0,172		3	0,126		3	0,142	
102 3 1/2							4	0,172		4	0,172		3	0,136		3	0,159	
108							4	0,172		3	0,130		3	0,136		3	0,170	
114 4							4	0,172		3	0,130		3	0,146		3	0,176	
133 4 3/4							3	0,129		3	0,145		3	0,165		3	0,210	
140 5							3	0,134		3	0,151		3	0,185		1	0,069	
159							3	0,150		3	0,182		1	0,065		1	0,078	
169 6							3	0,162		3	0,206		1	0,076		1	0,079	
194 7							3	0,210		1	0,076		1	0,082		1	0,109	
219 8										1	0,089		1	0,109		1	0,109	
245 9										1	0,109		1	0,116		1	0,139	
273 10										1	0,135		1	0,143		1	0,148	
324 12										1	0,177		1	0,190		1	0,196	

Prices in EUR/lin.m. exw. Vamdrup, Denmark. Other sizes: Prices on request.

The Pipe Sections within the framed area are packed in cartons. Size of carton: Approx. 1010 x 400 x 400 mm.

The Pipe Sections outside the framed area are packed in plastic shrink film.

We reserve the right to change our prices without prior notice if nothing else has been agreed upon in writing

6001: Pipe Sections 850

PRICE LIST - VALID AS FROM 1ST FEBRUARY 2010

Inner diam. =(Pipe diam.)		20		25		30		40		50		60		70		80		90		100	
		mm	inch	EUR	Pcs.	EUR	Pcs.	EUR	Pcs.	EUR	Pcs.	EUR	Pcs.	EUR	Pcs.	EUR	Pcs.	EUR	Pcs.	EUR	Pcs.
17	3/8		42		30		25		16		9		6								
21	1/2		36		25		20		13		9		6		4		3				
27	3/4		30		25		20		12		9		6		4		3				
35	1		25		20		15		9		8		5		4		1				
42	1 1/4		20		16		12		9		6		4		4		3				
48	1 1/2		16		15		12		9		6		4		1		1				
60	2		12		11		9		6		5		4		1		1		3		
64					9		9		6		4		3		3		3		3		
70					9		8		5		4		3		3		3		1		
76	2 1/2				9		7		5		4		3		3		3		1		1
89	3				6		6		4		3		3		3		3		1		1
102	3 1/2				5		4		4		3		3		3		1		1		1
114	4				4		4		3		3		3		1		1		1		1
121					4		4		3		3		3		1		1		1		1
127					4		3		3		1		3		1		1		1		1
133	4 3/4				3		3		3		1		1		1		1		1		1
140	5				3		3		3		3		1		1		1		1		1
159					1		1		1		1		1		1		1		1		1
169	6				1		1		3		1		1		1		1		1		1
194	7				3		1		1		1		1		1		1		1		1
219	8				1		1		1		1		1		1		1		1		1
245	9				1		1		1		1		1		1		1		1		1
273	10				1		1		1		1		1		1		1		1		1
280					1		1		1		1		1		1		1		1		1
305					1		1		1		1		1		1		1		1		1
324	12				1		1		1		1		1		1		1		1		1
356					1		1		1		1		1		1		1		1		1

Prices are in EUR/lin.m. exw Vamdrup, Denmark. Other sizes: Prices on request.
 The Pipe Sections within the framed area are packed in cartons. Size of carton: Approx. 1010 x 400 x 400. T-m3 : 0.172 m3.
 The Pipe Sections outside the framed area are packed in plastic shrink film.

We reserve the right to change prices without prior notice if nothing else has been agreed upon.

799.000: Universal Pipe Sections with reinforced alu foil w. tape
PRICE LIST - VALID AS FROM 1ST FEBRUARY 2010

Inner diam. =(Pipe diam.)		20			30			40			50			60		
mm	inch	EUR	Pcs.	T-m3	EUR	Pcs.	T-m3	EUR	Pcs.	T-m3	EUR	Pcs.	T-m3	EUR	Pcs.	T-m3
15			46	0,172		25	0,172									
17/18	3/8		42	0,172		25	0,172									
21/22	1/2		36	0,172		20	0,172		13	0,172						
27/28	3/4		30	0,172		20	0,172		12	0,172		9	0,172			
34/35	1		25	0,172		15	0,172		9	0,172		7	0,172			
42	1 1/4		20	0,172		12	0,172		9	0,172		6	0,172		4	0,172
48	1 1/2		16	0,172		11	0,172		9	0,172		6	0,172		4	0,172
54			12	0,172		9	0,172		6	0,172		5	0,172		4	0,172
60	2		12	0,172		9	0,172		6	0,172		5	0,172		4	0,172
64						9	0,172		6	0,172		4	0,172		4	0,172
76	2½					7	0,172		5	0,172		4	0,172		3	0,172
89	3					6	0,172		4	0,172						
102	3½					4	0,172									
108						4	0,172									
114	4					4	0,172									

The Pipe Sections are packed in cartons.
 Size of carton: approx. 1040 x 400 x 400 mm.

We reserve the right to change our prices without prior notice if nothing else has been agreed upon in writing.

T-M3 Per Sales Unit

Pipe Sections

Pipe Sections

Inner diam. =(Pipe diam.)		20		25		30		40		50		60		70		80		90		100	
		T-m3	Pcs.	T-m3	Pcs.	T-m3	Pcs.	T-m3	Pcs.	T-m3	Pcs.	T-m3	Pcs.	T-m3	Pcs.	T-m3	Pcs.	T-m3	Pcs.	T-m3	Pcs.
17	3/8	0,172	42	0,172	30	0,172	25	0,172	16	0,172	9	0,172	6								
21	1/2	0,172	36	0,172	25	0,172	20	0,172	13	0,172	9	0,172	6	0,172	4						
27	3/4	0,172	30	0,172	25	0,172	20	0,172	12	0,172	9	0,172	6	0,172	4	0,125	3				
35	1	0,172	25	0,172	20	0,172	15	0,172	9	0,172	7	0,172	5	0,172	4	0,129	3				
42	1 1/4	0,172	20	0,172	16	0,172	12	0,172	9	0,172	6	0,172	4	0,172	4	0,040	1				
48	1 1/2	0,172	16	0,172	15	0,172	12	0,172	9	0,172	6	0,172	4	0,033	1	0,141	3				
60	2	0,172	12	0,172	11	0,172	9	0,172	6	0,172	5	0,172	4	0,036	1	0,045	1	0,164	3		
64				0,172	9	0,172	9	0,172	6	0,172	4	0,123	3	0,138	3	0,049	1	0,210	3		
70				0,172	9	0,172	8	0,172	5	0,172	4	0,127	3	0,142	3	0,162	3	0,210	1		
76	2 1/2			0,172	9	0,172	7	0,172	5	0,172	4	0,131	3	0,148	3	0,178	3	0,065	1	0,078	1
89	3			0,172	6	0,172	6	0,172	4	0,126	3	0,142	3	0,162	3	0,206	3	0,076	1	0,079	1
102	3 1/2			0,172	5	0,172	4	0,172	4	0,136	3	0,159	3	0,165	3	0,065	1	0,078	1	0,089	1
114	4			0,172	4	0,172	4	0,130	3	0,146	3	0,176	3	0,065	1	0,076	1	0,082	1	0,109	1
121				0,172	4	0,172	4	0,135	3	0,156	3	0,185	3	0,065	1	0,078	1	0,109	1	0,109	1
127				0,172	4	0,125	3	0,140	3	0,049	1	0,200	3	0,069	1	0,079	1	0,109	1	0,109	1
133	4 3/4			0,122	3	0,129	3	0,145	3	0,053	1	0,061	1	0,076	1	0,082	1	0,109	1	0,109	1
140	5			0,127	3	0,134	3	0,151	3	0,185	3	0,069	1	0,078	1	0,089	1	0,109	1	0,109	1
159				0,042	1	0,044	1	0,053	1	0,065	1	0,078	1	0,089	1	0,109	1	0,109	1	0,139	1
169	6			0,044	1	0,049	1	0,206	3	0,076	1	0,079	1	0,109	1	0,109	1	0,127	1	0,143	1
194	7			0,198	3	0,065	1	0,076	1	0,082	1	0,109	1	0,109	1	0,135	1	0,143	1	0,148	1
219	8			0,076	1	0,078	1	0,089	1	0,109	1	0,109	1	0,139	1	0,143	1	0,164	1	0,183	1
245	9			0,109	1	0,109	1	0,109	1	0,116	1	0,139	1	0,148	1	0,177	1	0,190	1	0,196	1
273	10			0,109	1	0,109	1	0,135	1	0,143	1	0,148	1	0,183	1	0,190	1	0,209	1	0,250	1
280				0,109	1	0,109	1	0,139	1	0,148	1	0,164	1	0,183	1	0,196	1	0,216	1	0,255	1
305				0,139	1	0,139	1	0,148	1	0,177	1	0,190	1	0,196	1	0,239	1	0,276	1	0,313	1
324	12			0,148	1	0,148	1	0,177	1	0,190	1	0,196	1	0,239	1	0,250	1	0,313	1	0,327	1
356				0,183	1	0,183	1	0,190	1	0,239	1	0,250	1	0,299	1	0,313	1	0,344	1	0,344	1

The T-m3 mentioned above are only indicative. Variations may occur, especially in connection with mixed order

The Pipe Sections within the framed area are packed in cartons. Size of carton: Approx. 1010 x 400 x 400 mm

The Pipe Sections outside the framed area are packed in plastic shrink film